

**CERTIFICATE OF CONFORMITY**  
**No ITB-0717/W**

It has been stated that:

**GUTTERS SYSTEM „BRYZA” including:**  
**EAVES GUTTERS AND FITTINGS MADE OF PVC-U**  
**DRAIN PIPES AND FITTINGS MADE OF PVC-U**  
**GUTTER BRACKETS MADE OF PVC-U OR METAL**

- Eaves gutters with a size (open upper width) of: 75 mm, 100 mm, 125 mm and 150 mm
- Fittings of eaves gutters with dimensions adapted to the size of gutters
- Drain pipes with a nominal external diameter of: 63 mm, 90 mm and 110 mm and wall thickness 2,0 mm
- Fittings for joining pipes with dimensions adapted to the pipe diameter
- Gutter brackets load class H (for gutters width > 80 mm) or load class O (for gutter width ≤ 80 mm) and corrosion resistance class A made of PVC-U
- Gutter brackets load class L (for gutters width > 80 mm) or load class O (for gutter width ≤ 80 mm) and corrosion resistance class B made of metal

intended for the drainage of rainwater in general and industrial buildings,

**produced and placed on the market by:**

**CELL-FAST Sp. z o.o.**  
**ul. Grabskiego 31**  
**37-450 Stalowa Wola**  
**Poland**

**in the factory:**

**CELL-FAST Sp. z o.o.**  
**ul. Grabskiego 31**  
**37-450 Stalowa Wola**  
**Poland**

**fulfill the requirements described in:**

**PN-EN 12200-1:2016, PN-EN 1462:2006, PN-EN 607:2005**

The manufacturer has implemented a factory production control and carries out further testing of samples taken at the factory in accordance with a prescribed test plan.

The Certification Department of ITB has performed the initial type-testing and the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate is a voluntary document. Voluntary certification process has been performed according to the Certification Scheme PC-03 – type 4 scheme as defined in PN-EN ISO/IEC 17067.

The certificate of conformity no. ITB-0717/W was issued for the first time on 12.08.2005. This certificate (updated on 08.08.2009, 20.12.2010, 14.04.2016, 22.03.2019, 13.05.2019) may be applicable only to the products that fulfill the requirements of the reference documents. This certificate is valid provided that the following are not modified significantly: the product type, the manufacturing plant and the manufacturing conditions or the factory production control.

HEAD  
of the Certification Department



Katarzyna Hatowska, M.Sc. Eng.



Warsaw, 13.05.2019

DIRECTOR  
of Instytut Techniki Budowlanej



Robert Geryło, Ph. D.