

TECHNICAL DATA SHEET

Eurovent **BITUVENT**

The Eurovent BITUVENT ridge ventilator, used as a ventilation and protection element for ridges and hips, designed for roofs covered with bitumen shingles. Made of high-quality plastic and UV-resistant, it assures effective ventilation in the ridge area.



PARAMETR	UNIT	VALUE
Material		polymer
Size	[mm x mm]	290 x 1000
UV resistant		resistant
Softening temperature PN-EN ISO 306:2006/B50	[°C]	≥ 75
Tensile strength PN-EN ISO 8256:2006	[kJ/m ²]	≥ 600
Density ISO 1183/C	[g/cm ³]	0,905
Index MFR ISO 1133	[g/10min]	15
Ventilation height	[mm]	30 (+/- 0,8)
Color	[RAL]	black 9005
Box	[pcs]	10
Pallet	[pcs]	100

Advantages:


- UV resistance
- Fast and easy installation
- Effective ventilation

** UV stabilization even up to 4 months according to artificial ageing performed in the laboratory related to the conditions of average sun exposure for the climate in Central Europe.*

Eurovent BITUVENT

Application:

The Eurovent BITUVENT ridge ventilator is designed for use as sealing and ventilating element for roof ridges and hips. Dedicated for application with bitumen shingles. It protects the roof covering against penetration of snow, rain, moisture and dust while ensuring proper air circulation within roof covering.



Storage / transport:

The product should be stored in a dry place, under cover, free from moisture and UV radiation in original undamaged and closed package. Rolls should be transported in covered means of transport. They should be prepared for transport in a manner that protects them from damage and destruction. During transport safety regulations must be observed. The product should be protected from chemical agents, in particular solvent based substances, as they can reduce technical parameters of foil or permanently damage it.

Contained information, advice and guidance is given based on our knowledge, researches, experience and in good faith. We are not responsible for the consequences of improper or incorrect use of our products. Each user of this material will ensure in every possible way, including an examination of the final product in the relevant conditions, the suitability of supplied materials to achieve the objectives pursued by him.

Product information can be found on the website: www.eurovent.de

Update date: 11/2019